

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	3	((("6,412,849") or ("6,705,679") or ("6,733,078"))).PN.	US-PGPUB; USPAT	OR	OFF	2005/03/08 08:25
L2	302	((296/65.03) or (297/336)).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/03/08 08:25
L3	183001	l2 and rachet or teeth	US-PGPUB; USPAT	OR	OFF	2005/03/08 08:26
L4	18	l2 and (rachet or teeth)	US-PGPUB; USPAT	OR	OFF	2005/03/08 09:01
L5	244	(248/503.1).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/03/08 09:01
L6	8	l5 and (rachet\$ or teeth)	USPAT	OR	OFF	2005/03/08 09:03
L7	183	(296/65.03).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/03/08 09:03

Best Available Copy



Drafts

- BRS:
- BRS: 1
- BRS:
- BRS:
- BRS: foam with cell with bumper
- IS&R: ("0000002").PN.
- BRS:
- IS&R: (296/220.01).CCLS.

Pending

Active

- L1: (759) ((296/180.1,180.4,180.5) or (180/903)).CCLS.
- L2: (694) ((296/180.1,180.4,180.5) or (180/903)).CCLS.
- L3: (18) "292"/\$.ccls. and rachet
- L4: (445) 248/503.1
- L5: (0) seat near5 lock with rachet
- L6: (0) seat near5 latch with rachet
- L7: (1) seat with latch with rachet
- L8: (6) seat with lock with rachet
- L9: (356) seat with lock with teeth
- L10: (26) seat with lock with teeth with pin
- L11: (2) (removable or pivotal) with seat with rachet
- L12: (133) (removable or pivotal) with seat with teeth
- L13: (11) (removable or pivotal) with seat with teeth with
- L14: (0) 296/65.03 with teeth with pin
- L15: (0) 296/65.03 with rachet

Failed

Search

List

Browse

Queue

Clear

DBs

US-PGPUE

☐ Plurals

Default operator: OR highlight all hit terms initially

296/65.03 with rachet

Drafts

Pending

Active

Failed

Saved

Favorites

Tagged (4)

UDC

Queue

Trash

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comment	Error	Definit	Er
1	IS&R	L1	759	((296/180.1,180.4,180.5) or (180/903)).CCL	US-P GPUB	2005/03/0 9 05:48				
2	IS&R	L2	694	((296/180.1,180.4,180.5) or (180/903)).CCL	USPA T	2005/03/0 9 05:56				
3	BRS	L3	18	"292"/\$.ccls. and rachet	US-P GPUB	2005/03/0 9 06:02				
4	BRS	L4	445	248/503.1	US-P GPUB	2005/03/0 9 06:30				
5	BRS	L5	0	seat near5 lock with rachet	US-P GPUB	2005/03/0 9 06:30				
6	BRS	L6	0	seat near5 latch with rachet	US-P GPUB	2005/03/0 9 06:30				
7	BRS	L7	1	seat with latch with rachet	US-P GPUB	2005/03/0 9 06:31				
8	BRS	L8	6	seat with lock with rachet	US-P GPUB	2005/03/0 9 06:31				
9	BRS	L9	356	seat with lock with teeth	US-P GPUB	2005/03/0 9 06:31				
10	BRS	L10	26	seat with lock with teeth with pin	US-P GPUB	2005/03/0 9 06:32				
11	BRS	L11	2	(removable or pivotal) with seat wi	US-P GPUB	2005/03/0 9 06:33				
12	BRS	L12	133	(removable or pivotal) with seat wi	US-P GPUB	2005/03/0 9 06:33				
13	BRS	L13	11	(removable or pivotal) with seat wi	US-P GPUB	2005/03/0 9 06:33				
14	BRS	L14	0	296/65.03 with teeth with pin	US-P GPUB	2005/03/0 9 06:34				
15	BRS	L15	0	296/65.03 with rachet	US-P GPUB	2005/03/0 9 06:34				

Hits Details HTML

EAST - [butyl sunroof:2]

File View Edit Tools Window Help

Drafts

BRS:

BRS: 1

BRS:

BRS:

BRS: foam with cell with bumper

IS&R: ("0000002").PN.

BRS:

IS&R: (296/220.01).CCLS.

Pending

Active

L1: (3) (("6,412,849") or ("6,705,679") or ("6,733,078")).PT

L2: (302) ((296/65.03) or (297/336)).CCLS.

L3: (183001) 12 and rachet or teeth

L4: (18) 12 and (rachet or teeth)

L5: (244) (248/503.1).CCLS.

L6: (8) 15 and (rachet\$ or teeth)

L7: (183) (296/65.03).CCLS.

Failed

("296/214.ccls.-296/224.ccls.").CCLS.

("296/\$.ccls.").CCLS.

("296/\$.ccls.").CCLS.

"11" and (stop adj2 block))

M.E.D.

("200/\$.ccls.").CCLS.

("188/\$.ccls.").CCLS.

("296/\$.ccls.").CCLS.

Search List Browse Queue Clear

DBs US-PGPUE

Default operator: OR highlight all hit terms initially

296/65.03

Custom form BRS form IS&R form Hits

- ☐ Drafts
- ☐ Pending
- ☒ Active
- ☐ Failed
- ☐ Saved
- ☐ Favorites
- ☐ Tagged (13)
- ☐ UDC
- ☐ Queue
- ☐ Trash

	Type	L #	Hits	Search Text	DBs	Time Stam	Comment	Error Definit	Er
1	IS&R	L1	3	((("6,412,849") or ("6,705,679") or ("6,	US-P GPUB	2005/03/0 8 08:25			
2	IS&R	L2	302	((296/65.03) or (297/336)).CCLS.	US-P GPUB	2005/03/0 8 08:25			
3	BRS	L3	183001	12 and rachet or teeth	US-P GPUB	2005/03/0 8 08:26			
4	BRS	L4	18	12 and (rachet or teeth)	US-P GPUB	2005/03/0 8 09:01			
5	IS&R	L5	244	(248/503.1).CCLS.	US-P GPUB	2005/03/0 8 09:01			
6	BRS	L6	8	15 and (rachet\$ or teeth)	USPA T	2005/03/0 8 09:03			
7	IS&R	L7	183	(296/65.03).CCLS.	US-P GPUB	2005/03/0 8 09:03			

☒ Hits
 ☐ Details
 ☐ HTML

Ready

NUM

EAST - [butyl sunroof:2]

FileViewEditToolsWindowHelp

Drafts

- BRS:
- BRS: 1
- BRS:
- BRS:
- BRS: foam with cell with bumper
- IS&R: ("0000002").PN.
- BRS:
- IS&R: (296/220.01).CCLS.

Pending

Active

- L1: (3) (("6,412,849") or ("6,705,679") or ("6,733,078")).PN
- L2: (302) ((296/65.03) or (297/336)).CCLS.
- L3: (183001) 12 and rachet or teeth
- L4: (18) 12 and (rachet or teeth)
- L5: (244) (248/503.1).CCLS.
- L6: (8) 15 and (rachet\$ or teeth)
- L7: (183) (296/65.03).CCLS.

Failed

- ("296/214.ccls.-296/224.ccls.").CCLS.
- ("296/\$.ccls.").CCLS.
- ("296/\$.ccls.").CCLS.
- "11" and (stop adj2 block))
- M.E.D.
- ("200/\$.ccls.").CCLS.
- ("188/\$.ccls.").CCLS.
- ("296/\$.ccls.").CCLS.

SearchListBrowseQueueClear

DBsUS-PGPUE

Default operator: ORhighlight all hit terms initially

296/65.03

Drafts

Pending

Active

Failed

Saved

Favorites

Tagged (13)

UDC

Queue

Trash

	U	1	2	Document ID	Issue Dat	Page	Title	Current OR	Currer
1	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	US 6412849 R1	20020702	16	Chuck-free latch assembly	296/65.03	248/50 292/NT
2	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	US 20040124684	20040701	78	Fold, tumble, and kneel seat assembly	297/378.12	297/33 297/36
3	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	US 6698837 R2	20040302	24	Seat assembly with integrated recliner and	297/378.12	296/65 296/65
4	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	US 6523899 R1	20030225	32	Automated fold and tumble vehicle seat ass	297/331	297/33 297/33
5	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	US 6155626 A	20001205	14	Removable, reversible and longitudinally adju	296/65.03	248/50 296/65
6	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	US 5997069 A	19991207	23	Removable vehicle seat assembly	296/65.03	296/65
7	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	US 6345856 R1	20020212	7	Removable seat for automobile	296/65.03	297/33
8	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	US 6286886 R1	20010911	23	Seat attachment structure for motor veh	296/65.11	296/65 296/65
9	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	US 6250704 R1	20010626	20	Release mechanism for fold and flip seat asse	296/65.05	296/65 296/65
10	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	US 6164712 A	20001226	31	Seat structure for vehicle	296/65.03	297/37
11	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	US 6152515 A	20001128	9	Assembly for mounting a seat on a vehicle	296/65.03	
12	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	US 6145913 A	20001114	23	Seat attachment structure for motor veh	296/65.11	296/65 296/65
13	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	US 6065804 A	20000523	19	Removable folding seat	297/336	296/65

Custom formBRS formIS&R formHits

HitsDetailsHTML

Ready

NUM